

INDEX TO VOLUME 59

Author and Subject Index

AUTHOR

- ALLEN, J.R. and K.W. KNUTSON. The effect of cold storage on the growth and development of tissue culture propagated potato plantlets, 459, (abst).
- ALLEN, T.C. and J.R. DAVIS. Distribution of tobacco rattle virus and potato virus X in leaves, roots, and fruits and/or seeds of naturally-infected weeds, 149.
- ARSLAN, A., P.M. BESSEY, K. MATSUDA, and N.F. OEBKER. Physiological effects of Psyllid (*Paratrioza cockerelli*) on potato, 459, (abst).
- ARTECA, R.N. Influence of IAA, NAA and 2,4-D on ethylene production by potato discs (*Solanum tuberosum* L. cv. Red Pontiac), 267.
- ASHLEY, R.A. *see* Wilcox, D.A.
- BANTTARI, E.E. and G.D. FRANC. Enzyme-linked immunosorbent assay with single or combined antisera for viruses S and X in potato tubers and plants, 375.
- BANVILLE, G. Receptivity of potato tubers to black scurf as influenced by varieties and cultural practices, 460, (abst).
- BERGMAN, E.L., *see* Harrison, H.C.
- BESSEY, P.M., *see* Arslan, A.
- BIDWELL, D.E., *see* Slack, S.A., Sutula, C.L.
- BOITEAU, G. and R.P. SINGH. Evaluation of mineral oil sprays for reduction of virus Y spread in potatoes, 253.
- BOITEAU, G. and F.A. WOOD. Persistence of mineral oil spray deposits on potato leaves, 55.
- BOWMAN, J.E. and L. SEQUEIRA. Resistance to *Pseudomonas solanacearum* in potato: infectivity titrations in relation to multiplication and spread of the pathogen, 155.
- BOWMAN, T. and A.R. WEINHOLD. Control of rhizoctonia stem and stolon disease and plant characteristics, 461, (abst).
- BROWN, C.R., S.A. RIZVI, and E.N. FERNANDEZ-NORTHCOTE. Breeding for combined resistance to PVY and PLRV, 461, (abst).
- BRYAN, J. Rapid multiplication techniques and their uses, 461, (abst).
- CALÚA, L.A. and H.A. MENDOZA. Inheritance of earliness in the autotetraploid potato, 462, (abst).
- CAMADRO, E.L. and S.J. PELOQUIN. Selfing rates in two wild polyploid solanums, 197.
- CAMPBELL, A.J., *see* Platt, H.W.
- CARGILL, B.F., H.S. POTTER, R.L. LEDEBUHR, M.W. GLOVER, and J. SHRIVER. Market quality of potatoes is influenced by prestorage application equipment and thia-bendazole (TBZ) concentration, 463, (abst).
- CASH, J.N., *see* Chase, R.W., Huang, P.D.
- CHASE, R.W., R.W. KITCHEN, J.N. CASH, and C.R. SANTERRE. The relationship of variety, nitrogen level, and harvest date to yield, specific gravity, sucrose, and chip quality, 463, (abst).
- COLE, R.H., *see* Harrison, H.C.
- CORSINI, D.L. and J.J. PAVEK. Dry rot resistance — fusarium species and temperature effects, 462, (abst).
- CORSINI, D.L., *see* Pavek, J.J., Twomey, J.A.
- CORSINI, G.S., *see* Davis, J.R.
- CROWLEY, F.C. and S.D. DEBOER. Nonpathogenic bacteria associated with potato stems cross-react with *Corynebacterium sepedonicum* antisera in immunofluorescence, 1.

- CURWEN, D.E., E.J. SHIELDS, and J.R. HYGSTROM. Potato IPM program in Wisconsin, 463, (abst).
- CURWEN, D., see Tanner, C.B.
- DALI, T., see Tein Po, P.H.
- D'APPOLONIA, B., see Orr, P.H.
- DAVIS, J.R., see Allen, T.C.
- DAVIS, J.R., L.H. SORENSEN, and G.S. CORSINI. Interactions of potato seed pathogens: *Erwinia* spp. and *Fusarium roseum* f. *sambucinum*, 464, (abst).
- DAWSON, W.O., see Lozoya-Saldana, H.
- DeBOER, S.D., see Crowley, F.C.
- DeBOER, S.H., see Wright, N.S.
- DeJONG, H. Inheritance of sensitivity of metribuzin in cultivated diploid potatoes, 464, (abst).
- DUFFUS, J., see Liu, H.-Y.
- DWELLE, R.B., see Gawronska, H.
- DWELLE, R.B. and P.J. HURLEY. Comparative effects of Symcoat and GA seedpiece treatments on the development of Russet Burbank potato plants, 465, (abst).
- DWELLE, R.B., P.J. HURLEY, and J.J. PAVEK. Photosynthesis and stomatal conductance of potato clones — comparative differences in diurnal patterns, in response to light levels, and in assimilation by upper and lower leaf surfaces, 466, (abst).
- ECHANDI, E., see Hidalgo, O.A.
- ELANGO, F. A simple greenhouse inoculation technique for screening true potato seedlings for their tolerance to *Rhizoctonia solani*-induced damping-off, 466, (abst).
- EWING, E.E., see Sherman, M.
- FARNSWORTH, B., see Johansen, R.H.
- FARNSWORTH, S., see Stallknecht, G.F.
- FERERES, E., see Wolfe, D.W.
- FERNANDEZ-NORTHCOTE, E.N., see Brown, C.R.
- FLEMING, J., see McCrae, D.C.
- FRANC, G.D., see Banttari, E.E., McCarter-Zorner, N.J.
- GAWRONSKA, H., R.B. DWELLE, and J.J. PAVEK. Partitioning of photoassimilates by four potato clones, 467, (abst).
- GAWRONSKA, H., R.B. DWELLE, and G.F. STALLKNECHT. The translocation of ¹⁴C-coumarin in Russet Burbank potato plants, 468, (abst).
- GINGER, M.W., see Hampson, C.P.
- GLOVER, M.W., see Cargill, B.F.
- GOLTZ, S.M., see Pettite, J.M.
- GOODING JR., G.V., N.A. LAPP and L.G. WILSON. Potato leafroll virus and potato virus Y in seed potatoes used to plant the North Carolina crop, 125.
- GOTH, R.W. and R.E. WEBB. Effect of supportive media on the growth and development of *Helminthosporium solani*, 468, (abst).
- GRAHAM, D.C., see McCarter-Zorner, N.J.
- GROSS, D., see Knowles, N.R.
- GROSS, D.C., see Knowles, N.R.
- GUTBROD, O. and J. KELLEY. Rapid multiplication in seed certification programs, 469, (abst).
- GUTIERREZ, L., H.A. MENDOZA, and P. JATALA. Inheritance of resistance to root-knot nematode, *Meloidogyne incognita* in diploid potato progenies, 469, (abst).
- HAMPSON, C.P. and M.W. GINGER. Variety trials-consumer responses to variety names, 470, (abst).
- HANNEMAN, JR., R.E., see Sanford, J.C.
- HARRISON, H.C., E.L. BERGMAN and R.H. COLE. Growth responses, cooking quality determinations, and leaf nutrient concentrations of potatoes as related to exchangeable calcium, magnesium and potassium in the soil, 113.
- HARRISON, M.D., see Lahman, L.K., McCarter-Zorner, N.J., Nnodu, E.C.

- HELDMAN, D.R., *see* HUANG, P.D.
- HIDALGO, O.A. and E. ECHANDI. Evaluation of potato clones for resistance to tuber and stem rot induced by *Erwinia chrysanthemi*, 585.
- HILLER, L.K., *see* Koller, D.C.
- HOLM, D.G., *see* Twomey, J.A.
- HOWARD, R.J., *see* Nelson, G.A.
- HOYMAN, W.G. Effect of D-D and Soilbrom-85 on incidence of sclerotinia stem rot of potato, 470, (abst).
- HU, CHING-YEH, *see* Wang, Po-Jen.
- HUANG P.D., J.N. CASH, and D.R. HELDMAN. Alcohol production from potato processing wastes, 471 (abst).
- HUNG, YUNG-TSE and B.D. PRIEBE. Evaluation of the combined anaerobic-aerobic treatment of potato processing wastewaters, 471, (abst).
- HURLEY, P.J., *see* Dwelle, R.B.
- HUTCHISON, P.S., *see* McCrae, D.C.
- HYGNSTROM, J.R., *see* Curwen, D.E.
- IRITANI, W.M. Control and manipulation of seed tuber behavior and physiological age of potato seed tubers, 472, (abst).
- IRITANI, W.M., *see* Knowles, N.R., Sacher, R.F.
- JATALA, P., *see* Gutierrez, L.
- JOHANSEN, R.H., B. FARNSWORTH, G.A. SECOR, D.C. NELSON, P.H. ORR and E.P. LANA. Crystal: an oblong, white-skinned potato cultivar, 131.
- JOHNSTON, G.R. AND R.G. ROWBERRY. Simcoe: A new early maturing, chipping potato variety, 39.
- JORGENSEN, N.A., *see* Parfitt, D.E.
- KELLEY, J., *see* Gutbrod, O.
- KIMPINSKI, J. The effect of nematicides on *Pratylenchus penetrans* and potato yields, 327.
- KITCHEN, R.W., *see* Chase, R.W.
- KLEIN, R.E. and C.H. LIVINGSTON. Eradication of potato virus X from potato by ribavirin treatment of cultured potato shoot tips, 359.
- KLEINKOPF, G.E. Scheduling nitrogen applications for Russet Burbank potatoes, 472, (abst).
- KNOWLES, N.R., W.M. IRITANI, L.D. WELLER, and D. GROSS. Susceptibility of potatoes to bacterial rot and weight loss as a function of wound-healing interval and temperature, 473, (abst).
- KNOWLES, N.R., W.M. IRITANI, L.D. WELLER and D.C. GROSS. Susceptibility of potatoes to bacterial rot and weight loss as a function of wound-healing interval and temperature, 515.
- KNUTSON, K. Stem cutting and blackleg reduction in certified seed potato stocks, 473, (abst).
- KNUTSON, K.W. The Influence of stem-cut seed stocks on the incidence of blackleg in Colorado's certified potato acreage, 474, (abst).
- KNUTSON, K.W., *see* Allen, J.R., Lahman, L.K.
- KOEHNKE, M. What warranties do farmers give when they sell their certified seed potatoes? 474, (abst).
- KOLLER, D.C. and L.K. HILLER. The effect of planting date and soil temperature on brown center and hollow heart in Russet Burbank potatoes, 475, (abst).
- KUHNS, L.J., *see* May, B.
- LAHMAN, L.K., M.D. HARRISON and K.W. KNUTSON. Pre-harvest chemical applications for control of tuber infection by *Alternaria solani*, 523.
- LANA, E.P., *see* Johansen, R.H.
- LANDEO, J.A. and H.A. MENDOZA. Increasing the adaptability of highland tropic potatoes to longer latitudes, 475, (abst).
- LANG, D.J. and A.R. LANGILLE. Evidence of absorption and translocation of foliar applied kinetin-8-C¹⁴ in the potato plant, 547.
- LANGILLE, A.R., *see* Lang, D.J.

- LAPP, N.A., *see* Gooding, G.V.
- LAUBENGAYER, J.E., *see* Tingey, W.M.
- LAUGHLIN, W.M., G.R. SMITH and M.A. PETERS. A multipurpose wetting agent, WEX, and a cultured biological product, Agrispion, leave potato yields unchanged, 87.
- LEDEBUHR, R.L., *see* Cargill, B.F.
- LEUE, E.F. and S.J. PELOQUIN. Yield and relative maturity of diploid F₁ hybrids of haploids \times wild species, 475, (abst).
- LI, P.H., *see* Po, Tein.
- LISTER, R.M., *see* Paiva, E.
- LIU, H.-Y. and J. DUFFUS. The differentiation of distinct serotypes from potato leaf roll affected plants by enzyme-linked immunosorbent assay (ELISA), 476, (abst).
- LIVINGSTON, C.H., *see* Klein, R.E.
- LOZOYA-SALDANA, H. and W.O. DAWSON. The use of constant and alternating temperature regimes and tissue culture to obtain PVS-free potato plants, 221.
- LYNCH, D.R., G.C.C. TAI, D.A. YOUNG, and B. SCHAALE. Effect of selection location on early generating selection efficiency in a cooperative potato breeding project, 476, (abst).
- MANZER, F.E., *see* True, R.M.
- MANZER, F.E., D.C. MERRIAM, R.H. STORCH and G.W. SIMPSON. Effect of time of inoculation with potato leafroll virus on development of net necrosis and stem-end browning in potato tubers, 337.
- MARTIN, M.J., *see* Rowe, R.C.
- MARTIN, M.W. Performance of true potato seed lines when field seeded, 477, (abst).
- MARTIN, M.W. and P.E. THOMAS. Parental line development and maintenance for breeders, 477, (abst).
- MATSUDA, K., *see* Arslan, A.
- MAY, B., J.E. STAUB and L.J. KUHN. Potato cultivars: genetic variation within putative clones, 179.
- MCCARTER-ZORNER, N.J., D.C. GRAHAM, M.D. HARRISON, C.E. QUINN, I.A. SELLS, C. PAGET, J.E. MICHAUD, and G.D. FRANC. The presence of *Erwinia carotovora* in surface water, 478, (abst).
- MCCARTER-ZORNER, N.J., M.D. HARRISON, D.C. GRAHAM, C.E. QUINN, A.I. SELLS, and G.D. FRANC. The association of *Erwinia carotovora* sub. sp. *carotovora* and *E. carotovora* sub. sp. *atroseptica* with the rhizosphere of weeds, 478, (abst).
- MCCRAE, D.C., P.S. HUTCHISON, and J. FLEMING. The development of power driven disc shares for two-row high throughput potato harvesters, 479, (abst).
- MCHALE, N. *see* Quiros, C.F.
- MCHALE, N.A. Phenotypic variation for 2n pollen in *S. phureja*, 479, (abst).
- McMILLAN, L.P., *see* Misener, G.C.
- MEHLENBACHER, S.A., *see* Tingey, W.M.
- MENDOZA, H.A., *see* Calúa, L.A., Gutierrez, L., Landeo, J.A.
- MENDOZA, H.A. and R.O. WISSAR. Breeding for adaptation to the hot climates, 480, (abst).
- MERRIAM, D.C., *see* Manzer, F.E.
- MICHAUD, J.E., *see* McCarter-Zorner, N.J.
- MISENER, G.C. and L.P. McMILLAN. A single-hill potato digger, 551.
- MOK, I.L. GIN and S.L. PELOQUIN. Sexual polyploidization and protein diversity in potatoes, 480, (abst).
- MUNSON, S.T., *see* Orr, P.H.
- NELSON, D.C., *see* Johansen, R.H.
- NELSON, D.C. and M.C. THORESON. Effect of seed tuber and seed piece size on growth and incidence of hollow heart in Norgold Russet potatoes, 367.

- NELSON, G.A. and R.J. HOWARD. Effect of the ring rot pathogen and latent potato viruses on ring rot symptoms and yield of potatoes, 213.
- NNODU, E.C., M.D. HARRISON and R.V. PARKE. The effect of temperature and relative humidity on wound healing and infection of potato tubers by *Alternaria solani*, 297.
- NNODU, E.C., M.D. HARRISON and M. WORKMAN. The effect of storage environment on the infection of potato tubers by *Alternaria solani*, 313.
- OCHOA, C. *Solanum burtonii*, a new wild potato species from Ecuador, 263.
- O'DAY, R. and J. SALIK. Commercial virus and bacterial disease test kits, 481, (abst).
- OEBKER, N.F., see Arslan, A.
- ORR, P.H., see Johansen, R.H.
- ORR, P.H., R.B. TOMA, S.T. MUNSON and B. D'APPOLONIA. Sensory evaluation of breads containing various levels of potato peel, 605.
- PAGET, C., see McCarter-Zorner, N.J.
- PAIVA, E., R.M. LISTER and W.D. PARK. Comparison of the protein in axillary bud tubers and underground stolon tubers in potatoes, 425.
- PARFITT, D.E. and S.J. PELOQUIN. Yield trials and economic analyses to select cultivars for salvage for silage production, 395.
- PARFITT, D.E., S.J. PELOQUIN and N.A. JORGENSEN. The nutritional value of pressed potato vine silage, 415.
- PARK, W.D., see Paiva, E.
- PARKE, R.V., see Nnodu, E.C.
- PAVEK, J.J., see Corsini, D.L.
- PAVEK, J.J., see Dwelle, R.B., Gawronska, H., Twomey, J.A.
- PAVEK, J.J. and D.L. CORSINI. An improved method for screening potato clones for black-spot reaction, 481, (abst).
- PAVEK, J.J. and D.L. CORSINI. Field performance of clones from regenerated protoplasts of Russet Burbank, 482, (abst).
- PELOQUIN, S.J., see Camadro, E.L., Leue, E.F., Mok, Il Gin, Parfitt, D.E.
- PETERS, M.A., see Laughlin, W.M.
- PETTITE, J.M. and S.M. GOLTZ. Effect of cyclic water stress on photosynthesis and transpiration of potato (*Solanum tuberosum* cv. BelRus), 482, (abst).
- PHELPS, J.P., see Roberts, S.
- PISARCZYK, J.M. Field harvest damage affects potato tuber respiration and sugar content, 205.
- PLAISTED, R.L., see Tingey, W.M.
- PLATT, H.W. and A.J. CAMPBELL. Comparison of a controlled droplet and conventional sprayer for application of fungicides to control potato late blight, 351.
- PO, TEIN, P.H. LI and T. DALI. Potato degeneration research in China, 46.
- POTTER, H.S., see Cargill, B.F.
- PRIEBE, B.D., see Hung, Yung-Tse.
- QUINN, C.E., see McCarter-Zorner, N.J.
- QUIROS, C.F. and N. McHALE. Genetics of isozymes in diploid potatoes, 483, (abst).
- REEVES II, A.F. Potato chip color ratings of advanced selections from the Maine potato breeding program, 389.
- RIEDEL, R.M., see Rowe, R.C.
- RIZVI, S.A., see Brown, C.R.
- RIZVI, S.A.H. Selection of clones with higher level of potato leafroll virus (PLRV) resistance, 483, (abst).
- ROBERTS, S., W.H. WEAVER and J.P. PHELPS. Effect of rate and time of fertilization on nitrogen and yield of Russet Burbank potatoes under center pivot irrigation, 77.
- ROWBERRY, R.C., see Johnston, G.R.
- ROWE, R.C., M.J. MARTIN, and R.M. RIEDEL. A clay tile microplot system for field studies on nematode/fungus interactions on potato, 483, (abst).

- ROWE, R.C., M.J. MARTIN, and R.M. REIDEL. Yield loss assessment in potato early dying resulting from simultaneous infection with *Verticillium dahliae* and *Pratylenus penetrans*, 484, (abst).
- SACHER, R.F. and W.M. IRITANI. Tetrazolium tests as indicators of tuber physiological age and yield potential, 613.
- SALIK, J., see O'Day, R.
- SANDERSON, J.B. and R.P. WHITE. Effect of in-row spacing on potato tuber yields, sizes, and numbers measured at ten weekly sampling dates, 484, (abst).
- SANFORD, J.C. and R.E. HANNEMAN JR. Internating of potato haploids and spontaneous sexual polyploidization—effects on heterozygosity, 407.
- SANFORD, L.L. Effect of plant age on leafhopper infestation of resistant and susceptible potato clones, 9.
- SANTERRE, C.R., see Chase, R.W.
- SARAFIAN, S. Computer programs for cost accounting and packing shed operation, 485, (abst).
- SCHAALJE, B., see Lynch, D.R.
- SECOR, G.A., see Johansen, R.H.
- SELLS, A.I., see McCarter-Zorner, N.J.
- SELLS, I.A., see McCarter-Zorner, N.J.
- SEQUEIRA, L., see Bowman, J.E.
- SHERMAN, M. and E.E. EWING. Temperature, cyanide, and oxygen effects on the respiration, chip color, sugars, and organic acids of stored tubers, 165.
- SHIELDS, E.J., see Curwen, D.E.
- SHRIVER, J., see Cargill, B.F.
- SIMPSON, G.W., see Manzer, F.E.
- SINDEN, S.L., see Tingey, W.M.
- SINGH, R.P. see Boiteau, G.
- SLACK, S.A. Pathogen testing: the concept of pathogen-free versus disease-free stocks in seed potato production, 485, (abst).
- SLACK, S.A., A. VOLLER and D.E. BIDWELL. Evaluation of the POTASCREEN™ ELISA kit for PVX testing, 486, (abst).
- SMITH, G.R., see Laughlin, W.M.
- SNYDER, R. Irrigation management and computers, 486, (abst).
- SORENSEN, L.H., see Davis, J.R.
- STAUB, J.E., see May, B.
- STALLKNECHT, G.F., see Gawronska, H.
- STALLKNECHT, G.F. and S. FARNSWORTH. General characteristics of coumarin-induced tuberization of axillary shoots of *Solanum tuberosum* L. cultured *in vitro*, 17.
- STALLKNECHT, G.F. and S. FARNSWORTH. The effect of the inhibitors of protein and nucleic acid synthesis on the coumarin-induced tuberization and growth of excised axillary shoots of potato sprouts (*Solanum tuberosum* L.) cultured *in vitro*, 69.
- STILES, D.G. Maine's anti-bruise campaign—storage handling and packing phase, 487, (abst).
- STORCH, R.H., see Manzer, F.E.
- SUTULA, C.L., A. VOLLER and D.E. BIDWELL. POTASCREEN™—a convenient, rapid, and reliable method for detecting potato viruses and bacteria, 488 (abst).
- TAI, G.C.C., see Lynch, D.R.
- TANNER, C.B., G.G. WEIS and D. CURWEN. Russet Burbank rooting in sandy soils with pans following deep plowing, 107.
- THODEY, A. A tool for management decisions, 488, (abst).
- THOMAS, P.E., see Martin, M.W.
- THORESON, M.C., see Nelson, D.C.
- TIMM, H., see Wolfe, D.W.

- TINGEY, W.M., R.L. PLAISTED, J.E. LAUBENGAYER and S.A. MEHLENBACHER. Green peach aphid resistance by glandular trichomes in *Solanum tuberosum* x *S. berthaultii* hybrids, 241.
- TINGEY, W.M. AND S.L. SINDEN. Glandular pubescence, glycoalkaloid composition, and resistance to the green peach aphid, potato leafhopper, and potato flea-beetle in *Solanum berthaultii*, 95.
- TOMA, R.B., see Orr, P.H.
- TOWILL, L.E. Low temperature (-196°) storage of true seed from the tuber-bearing *Solanum* species, 141.
- TRUE, R.M., T.M. WORK and F.E. MANZER. The effect of Ridomil on the flavor of riced baked potatoes, 65.
- TWOMEY, J.A., J.J. PAVEK, D.G. HOLM, M. WORKMAN and D.L. CORSINI. Sangre: an oval, high quality red potato, 435.
- UPHAM, S. Commercial plant propagation techniques, 489, (abst).
- VARNIS, J.L. The release of methyl chloride from potato tubers, 593.
- VOLLER, A., see Slack, S.A., Sutula, C.L.
- VOSS, R.E., see Wolfe, D.W.
- WANG, PO-JEN and CHING-YEH HU. *In vitro* mass tuberization and virus-free seed-potato production in Taiwan, 33.
- WEAVER, W.H., see Roberts, S.
- WEBB, R.E., see Goth, R.W.
- WEINHOLD, A.R., see Bowman, T.
- WEIS, G.G., see Tanner, C.B.
- WELLER, L.D., see Knowles, N.R.
- WHITE, R.P., see Sanderson, J.B.
- WILCOX, D.A. and R.A. ASHLEY. The potential use of plant physiological responses to water stress as an indication of varietal sensitivity to drought in four potato (*Solanum tuberosum* L.) varieties, 533.
- WILSON, L.G., see Gooding, G.V.
- WISSAR, R.O., see Mendoza, H.A.
- WOLFE, D.W., E. FERERES, R.E. VOSS, and H. TIMM. Growth and yield response of two potato cultivars to various levels of applied water, 490, (abst).
- WOOD, F.A., see Boiteau, G.
- WORK, T.M., see True, R.M.
- WORKMAN, M., see Nnodu, E.C., Twomey, J.A.
- WRIGHT, N.S. "Bud" and S.H. DeBoer. Seed potato pathogen control strategies in British Columbia, 491, (abst).
- YOUNG, D.A., see Lynch, D.R.

SUBJECT

Abscisic acid, 17, 24
Actinomycin D, 69
Aging, 613, 617
Agrispon, 87
Agtron readings, 137
ALAR, 27
Alcohol production, 471
Anti-bruise campaign, 487
Aphid transmission of virus, 55, 346, 348
Auxin, 273
Axillary leaf bud tuber, 425

Bacteria

Agrobacterium tumefaciens, 162*Corynebacterium sepedonicum*, 1-8, 213-7, 488*Erwinia**amylovora*, 162*carotovora*, 133, 478*carotovora* subsp. *atroseptica*, 464, 478-79, 488, 585

strain SR-302, 587, 589, 591

carotovora subsp. *carotovora*, 473, 474, 478-79, 491, 515, 517, 519

strain SR-022, 586, 589, 591

chrysanthemi, 585

strain SR-298, 586, 589, 591

*Pseudomonas**fluorescens*, 133*solanacearum*, 155-63

Bacterial ring rot, 1, 213

Bacterial wilt, 155

Baked potato flavor, 65

Benzyladenine, 35

Blackleg, 464, 473-4

Black scurf, 460

Blackspot, 435, 481

Blitecast, 66

Brown center, 475

Brown rot, 155

Bulking rate, 77

n-Butane, 593, 600, 603

Carbon assimilation, 466

¹⁴C, 467

CCC, 27

Center pivot irrigation, 77, 86

Chemical elements

aluminum, 113

boron, 113

copper, 113

manganese, 113

potassium, 122

zinc, 113

Chemotherapy, 359-60

Chip color, 113, 122, 165, 167, 173, 176, 389, 393, 463

Chloromethane, 593

Chloramphenicol, 69

Colorado potato beetle, 10, 96, 245

Common scab, 39

Computer programs, 485

Coumarin, 17, 26, 69

Coumarin-3 ¹⁴C, 19, 21¹⁴C coumarin, 468

Cultivar identification, 179

Cyanide, 165

Deep plowing, 107

Dietary fiber, 605

- Diflubenzuron, 10
DMSO, 523, 526-31
Dollar return, 400
Dry matter, 82-4
D-vac, 97
Early blight, 297, 313, 435, 523
Earliness, 462
Early dying of potato, 484
Electrophoresis, 179, 182-5, 425
ELISA, 150, 152, 227, 255, 337, 341, 346, 375-6, 378, 385-6, 476, 486, 488
Enzyme linked immunosorbent assay, 375
Ethylene, 24, 267
Ethylene production, 269
FDR, 413
Feeding value, 415, 418
Flea beetles, 96, 97
5-Fluorouracil, 69
Foliar TGA levels, 96, 101, 415, 418-19
Formaldehyde, 523, 527-9
Formazan red, 615
Fresh weight, 82-4
Frost adaptation, 475
Fructose, 173, 206
Fungi
 Agaricus bisporus, 594
 Alternaria solani, 297-302, 304-6, 313-14, 317, 322-3, 523-31
 Fusarium
 coeruleum, 462
 roseum f. *sambucinum*, 464
 sambucinum, 462
 Helminthosporium solani, 468
 Phytophthora infestans, 133, 214, 259, 314, 353
 Rhizoctonia, 39
 solani, 41, 461, 466
 Sclerotinia sclerotiorum, 470
 Sporidesmium sclerotivorum, 470
 Streptomyces scabies, 41, 131, 133
 Verticillium, 435, 482
 dahliae, 133, 219, 464, 484
Fungicides
 Bravo, 353-4
 Captan, 524, 526
 Difolatan 4F, 260, 523, 526-9, 531
 Dithane M-45, 66, 260, 353-4
 Du-Ter, 260, 526-9, 531
 Manzate D, 523, 526-31
 Orthocide 50 WP, 524
 Oxycop 8L, 526
 Polyram, 260
 Ridomil, 65
Genetic variation, 179
Gibberellic acid, 17, 143, 465

- Glandular trichomes, 95, 241, 250
 - Type A, 95, 99, 241, 243-4, 248
 - Type B, 95, 99, 241, 243-4
- Glucose, 173, 206
- Glycoalkaloids
 - Alpha-solamarine, 98, 104
 - Beta-solamarine, 98, 104
 - Chaconine, 99, 100
 - Solamargine, 96, 98
 - Solanadine, 98, 99
 - Solanine, 99, 104
 - Solasodine, 98
 - Solasonine, 96, 98
 - Tomatidenol, 98
 - Tomatidine, 98
- Golden nematode, 39
- Gram stain, 1
- Glucose, 173, 206
- Hardy-Weinberg, 412
- Heat tolerance, 480
- Herbicides
 - Gramoxone, 352
 - Metribuzin, 464
 - Sencor, 352
- Hollow heart, 367, 371-2, 435, 475
- Hypersensitive reaction, 346
- IAA, 267
- Immunodiffusion, 425
- Immunoelectrophoresis, 425
- Immunofluorescence cross reaction, 1
- Indirect fluorescent antibody stain, 1
- Indole acetic acid, 17
- In row spacing, 484
- Insecticides
 - Aldicarb, 327, 330-1, 334
 - Carbaryl, 245
 - Disulfoton, 327, 331
 - Endosulfan, 215
 - Pirimicarb, 215
- Insects
 - Aphis nasturtii*, 55
 - Bombus hortorum*, 198
 - Empoasca fabae*, 9, 95, 96
 - Epitrix cucumeris*, 95
 - Leptinotarsa decemlineata*, 96
 - Macrosiphum euphorbiae*, 55
 - Myzus persicae*, 55, 95-7, 99, 241, 245, 337, 340, 483
 - Paratrioza cockerelli*, 459
 - Rhopalosiphum padi*, 55
- Inter-mating, 407
- In vitro* culture, 33
- IPM Program, 463

- Irrigation management with computer, 486
- Isozyme analysis, 186
- Isozymes, 483
- Kinetin, 26, 69, 547, 549-50
- Late blight, 39, 65, 133, 259, 351, 353, 435
- Latent infection, 7
- Leaf-bud cuttings, 461, 473
- Leaf diffusive resistance, 533, 536
- Low level jet stream, 348
- Low storage temperature, 141
- Management decisions, 488
- Meristem culture, 33, 478
- Methylchloride, 593, 597-603
- Micromax spinning cone, 351
- Mild mosaic, 39
- Mite
 - Tetranychus urticae*, 96
- NAA, 267
- NaDIECA, 378, 386
- Naphthalene acetic acid, 17
- Nematodes
 - Globodera rostochiensis*, 39
 - Meloidogyne incognita*, 469
 - Pratylenchus crenatus*, 330
 - P. penetrans*, 327, 484
- Net necrosis, 337, 339, 341-3, 435
- Nitrogen fertilizer, 77, 86, 87, 113, 472
- Nuclear seed stocks, 469
- Nutrient solution, 544
- Obituaries
 - C.E. Botkin, 581
 - C.H. Dearborn, 512
- Oil formulations
 - Atplus 300F, 58
 - Corntrol oil, 56, 58, 62, 254, 256
 - Co-op surfactant oil, 58, 256
 - Green Cross Booster Plus, 58, 256
 - Kornoil Agricultural Adjuvant, 58, 256
 - Kornoil Concentrated Adjuvant, 58, 256
 - JMS Stylet Oil, 58, 256-7
 - Pfizer XA, 58, 256
- Oil persistence equation, 62
- Oil spray, 253
- Oil spray residues, 55
- O₂ Uptake, 174
- Ouchterlony double diffusion, 3
- Ozone injury, 116
- PAA
 - Abstracts of Papers, 459
 - Advance registration for Annual Meeting, 190
 - Advertising Manager's Report, 503
 - Annual Meeting announcement, 53

- Annual meeting at Michigan State University, 628
Asian Potato Association, 509
Audit Committee, 495
Book Review, 404
Business Editor's Report, 502
Call for Nominations for 1982 Life Memberships, 94
Call for Nominations for 1983 Life Memberships, 194, 631
Call for Papers for 1982 Meetings, 51
Call for Papers for 1983 Meetings, 629
Committees for 1982-83, 444
Editor's Report, 501
Graduate Student Committee, 497, 584
Index to Volume 59, 643
Letters to the Editor, 572
Life Members, 440
List of individual members of The PAA, 632
Local Arrangements, 496
Membership Secretary's Report, 504
Minutes of Annual Meeting, 564
Minutes of Executive Committee Meeting, 556
Papers in Potato Research for 1981, 292
Program, 66th Meeting, 275
Sections for 1982-83, 44
Section Reports
 Breeding and Genetics, 500
 Certification, 498
 Extension, 499
 International Relations, 571
 Pathology, 493
 Plant Physiology, 493
 Utilization, 494
Treasurer's Report, 505
PAGE, 486
Para-fluorophenylalanine, 69
Parallel spindles, 197
Pathogen testing, 485
Photosynthesis, 482, 536
Physiological age, 472
Phytotoxicity, 253, 258, 261, 364
Plant Species
 Agropyron repens, 152
 Amaranthus retroflexus, 151
 Bidens frondosa, 151
 Brassica
 kaber, 152
 oleracea, 245
 Cecropia, 266
 Cedrela, 266
 Ceratoides lanata, 151
 Chenopodium album, 151-2
 Chusquea, 266
 Cirsium arvense, 152

- Erodium cicutarium*, 152
 - Euphorbia serpyllifolia*, 152
 - Gomphrena globosa*, 215, 359, 362, 376
 - Helianthus annuus*, 151
 - Hordeum vulgare*, 152
 - Juglans*, 266
 - Kalanchoe*, 307
 - Lactuca*, 151
 - Lupinus*, 266
 - Lycopersicon*, 483
 - Medicago sativa*, 152, 415, 417
 - Nicotiana*
 - debneyi*, 376
 - rustica*, 222
 - tabacum*, 125, 126
 - Panicum capillare*, 152
 - Plantago major*, 151
 - Polygonum*
 - convolvulus*, 151-2
 - persicaria*, 152
 - Populus deltoides*, 152
 - Portulaca oleracea*, 151
 - Potentilla fruticosa*, 152
 - Ranunculus repens*, 151
 - Salix*, 151
 - Setaria viridis*, 151
 - Sonchus*, 152
 - Taraxacum officinale*, 152
 - Tribulus terrestris*, 151
 - Xanthium strumarium*, 151
- Potascree™, 486, 488
- Potato
- Varieties
- New
- Crystal, 131-2, 134-5
 - Sangre, 435
 - Simcoe, 39, 40, 42
- Old
- Abnaki, 65
 - Allagash Russet, 389-93
 - Alaska Red, 185
 - Atlantic, 10, 13, 14, 114, 117-21, 123, 128, 225-8, 390, 393, 463, 534, 537-8, 541, 543
 - Bake King, 88, 90
 - Belchip, 128, 390, 393, 463
 - BelRus, 482
 - Bintje, 4
 - Bison, 185
 - Bliss Triumph, 110
 - Butte, 4
 - Campbell 11, 390, 393
 - Campbell 13, 390, 393
 - Cascade, 131-2

- Catoosa, 185
Centennial Russet, 459
Cherokee, 40, 410
Chieftain, 221, 225-8
Chippewa, 409-10
Cobbler, 10-14, 47-9, 337, 460
Croatan, 128
Daming Red, 49
Dazoc, 185
Denali, 459, 463
Drayton, 470
Earlaine, 40, 436
Early Epicure, 4
Frito Lay 96, 128
Frito Lay 144, 128
Frito Lay 162, 128
Green Mountain, 4, 337-8, 344, 351, 460
Hudson, 4, 100, 242-7, 249
Katahdin, 99, 100, 103-4, 108, 132, 155, 157-60, 176, 180-1, 205-6, 214, 243, 246, 249, 340, 409-10, 460, 544, 547
Katosá, 185
Kennebec, 4, 34, 131, 133-5, 166-8, 171, 180, 186, 221, 225-8, 327, 332, 375, 377, 380-3, 385, 393, 395, 397-9, 400, 409, 419-21, 459, 460, 477, 485, 490, 593, 595-8, 600, 602, 623
King Edward, 165, 470
LaRouge, 185
LaSoda, 185
Lemhi Russet, 4, 466-7, 481
Menominee, 40
Merrimack, 409-10, 476
Monona, 65, 166-8, 171, 389-93, 463
Nooksack, 4
Norchief, 185
Norhrin #1, 34, 36, 37
Norchip, 4, 114, 117-9, 121, 123, 128, 131, 133-5, 166-8, 171, 181, 298, 314, 463, 524, 593, 595-602, 606
Norgold Russet, 4, 367, 436, 459
Norland, 4, 114, 116, 121, 185, 375, 377, 380-3, 460, 476
Onaway, 334
Oneida, 128
Peconic, 39, 40
Pentland Crown, 242
Pioneer, 462
Pungo, 127
Red Bake, 185
Red Burt, 185
Red LaSoda, 4, 128, 185
Red McClure, 185, 359-60, 362-3
Red Pontiac, 4, 128, 179, 181-2, 185, 213-4, 218, 267, 397, 400, 463
Red Skin, 185
Red Warba, 185
Russet Burbank, 4, 18, 56, 62, 70, 77, 78, 80, 107-11, 150, 155, 157, 165, 213-5, 218,

221, 225-9, 254, 327, 332, 334, 337-8, 341, 347, 359-60, 262-3, 375, 377, 380-3, 385, 396, 397-9, 400-1, 415, 418-21, 436, 462-3, 465-8, 470, 472, 475, 477, 482, 517, 534, 537-9, 541, 543-4, 615, 619, 624

Saco, 126

Sebago, 128, 166, 170, 173, 175, 177, 327, 332, 485

Seminole, 128

Sequoia, 436

Superior, 100, 103-4, 114, 117-8, 121, 123, 128, 181, 186, 245, 247, 249, 327, 330, 332, 334, 398, 419-20, 426, 484, 534, 537, 539, 540, 543

Targhee, 176

Urgenta, 4

Viking, 435-6

Warba, 4

White Rose, 4, 221, 225-9, 490

Wyred, 185

Potato

Numbered Seedlings

70-21, 399, 400

71-23, 399, 400

44106, 40

44043, 40

45208, 40

700718, 585

702440, 585

A6, 129

A119-15, 436

A444-9, 242

A6356-9, 435-6

A6948-4, 467

A7596-1, 477

A66107-51, 466-7

AC67560-1, 435-6

ADW75121-1, 477

AF186-5, 390, 393

AF205-9, 390, 393

AK10-1, 89, 90

AK87-8, 89, 91

B227-60, 242-4, 246, 249

B227-63, 241, 243-9

B227-128, 242-4, 246, 249

B3536-12, 132

B3672-3, 40

B3820-14, 132

B4312-4, 132

B4715-6, 40

B5141-6, 39, 40

B5298-14R, 132

B6705-10, 10-15

B7910-6, 10, 12-4

B8247-1, 10, 12-14

B8686-8, 477

BC₁, 132

CA02-7, 534, 537, 539, 540, 543
CC26-1A, 390, 393
G6880-1, 39
HS17, 397, 399, 400
IP412, 477
Jak 072, 585, 589, 591
Minn. 64-57, 410
ND2910-1R, 132
ND4524-7R, 132
ND5455-1R, 132
ND7196-18, 131-2
ND8891-3, 131
Och 5331, 585, 589, 591
PCB-3, 242
PCB-4, 242
PI accessions, 100, 102-3
PI 214372, 132
PSDT 5, 396-9, 400, 419-20
PSDT 17, 395, 397-9, 400, 419-20
PSDT 24, 396, 397-9, 400, 419-20
PSDT 41, 395, 397-9, 400, 419-20
PSDT 52, 399, 400
PSDT 282, 399, 400
PSDT 292, 399, 400
PSDT 652, 399, 400
W729R, 397-9, 400-1, 415, 419-20
W771, 397, 399, 400
Wis 639, 409
Wis 707, 409
Wis 717, 409
Wis AG 231, 409-10
WnC316-1, 477
WnC612-13, 477
X927-3, 132

Potato

Species

Solanum

albornozii, 263
andigena, 585
berthaultii, 95, 96, 99, 104, 241, 248-9
burtonii, 263
calacalinum, 263
chacoense, 40, 96, 105, 143, 145, 475
correlli, 263-4
cyanophyllum, 263
dulcamara, 99
gourlayi, 145, 197
infundibuliforme, 145, 475
kurtzianum, 145
megistacrolobum, 145
melongena, 1, 3
microdontum, 145

- minutifoliolum*, 263
- nigrum*, 153
- oplocense*, 197-8
- pampasense*, 145
- paucijugum*, 263
- phureja*, 155-9, 479
- group *phureja*, 410, 412
- phureja* × *tuberosum*, 158
- pichinchense*, 263
- regularifolium*, 263
- santollae*, 145
- sarachoides*, 149, 151
- solisii*, 263
- sparsipilum*, 104
- spgazinni*, 145
- stoloniferum*, 145
- sucrense*, 144-5
- suffrutescens*, 262
- tarijense*, 95, 96, 99, 104
- tuberosum*, 9, 17, 28, 69, 78, 156, 165, 180, 241, 367, 395, 407-8, 415-6, 425, 467, 483
- tuberosum* gp. *phureja*, 145, 480
- tundalomense*, 263
- vernei*, 144-5
- Potato bread, 605, 610
- Potato cultivars, 179
- Potato digger, 479, 551
- Potato fertilization, 77
- Potato leafhopper, 9, 95, 97, 99
- Potato peel, 605
- Processing waste waters, 471
- Propagation techniques, 489
- Psyllid yellows, 459
- Pyrrolidine, 526
- Rainfall, 55, 333, 368
- Reconditioning, 389, 393
- Reducing sugars, 316, 389
- Regenerated clones from mesophyll protoplasts, 482
- Relative humidity, 313, 315, 319-23
- Resistance, 9, 95, 101, 133, 461, 483, 585
- Respiration, 207-10
- Ribavirin, 359-63
- Root density, 107, 111
- Root-knot nematode, 469
- Root lesion nematodes, 327
- Rootone, 157
- Roots, 107
- Ruminant animals, 395, 415
 - Capra hircus*, 415, 417
- Sclerotinia stem rot, 470
- Seed tubers, 613
- Selfing rates, 197, 199, 202
- Sensory evaluation, 607, 609, 610

- Silage, 395, 415
- Sodium hypochlorite 522, 526-29
- Soft-rot, 425, 515
- Soil fumigants
 - D-D, 470
 - Soilbrom, 85, 470
 - Telone C17, 470
 - Telone II, 327-31
 - Terroicide, 470
 - Vapam, 470, 526, 529
- Soil temperature, 475
- Soil treatment, 523
- Soil water depletion, 490
- Specific gravity, 113, 118, 122, 131, 437
- Spectrophotometric technique, 58
- Sprout cuttings, 461
- Stem end browning, 337, 339, 341-44
- Storage, 593
- Storage temperature, 165, 313, 317, 319-22, 389
- Suberization, 297, 305-9, 593
- Sucrose, 36, 173, 205-6
- Sugar content, 208
- Sugars, 165, 205-6
- Sulfuric acid, 526
- Symbex, 465
- Symcoat, 465
- TBZ, 463
- TJD procedure, 416
- Tee-jet nozzles, 56, 254
- Tetraploids, 480
- Tetrazolium, 613, 618, 620, 622-3
- TGA, 41
- Thermotherapy, 221
- Thin layer chromatography, 56, 57
- TIBA, 27
- Tissue culture, 17, 69, 221, 223, 360, 473
- Tolerance, 163
- Total solids, 136-7
- Translocation, 468
- Transpiration, 482, 533, 536
- Triton B-1956, 256
- True seed, 141, 197, 202-3
- Tuberization, 17, 20, 22, 33, 69, 70, 77, 475
- Tuber numbers, 370
- Tuber protein, 425, 429
- Tuber protein synthesis, 432
- Tuber TGA levels, 415, 421, 436
- 2,4-D, 27, 267
- 2n eggs, 480
- 2n gametes, 407, 413
- 2n pollen, 479, 480
- TZC medium, 157

Urea, 80

Variety names, 470

Vine maturity, 477

Virus

A, 481

beet western yellows, 347, 476

leafroll, 47, 48, 125, 337, 341, 345, 461, 476, 481, 483

M, 47, 481

S, 47, 214-8, 221, 375-6, 379, 381, 384, 481, 491

T, 481

tobacco rattle virus, 149-53

X, 33-4, 47, 126, 131, 133, 149, 214-18, 359-60, 375-6, 379, 381, 384, 481, 486, 491

Y, 47, 55, 58, 125, 253, 256, 259, 461, 481

Virus-free potato, 33, 221

Virus free stocks, 491

Virus transmissions, 257, 259

Warranties, 474

Water stress, 492, 533

Weight loss, 473, 515

WEX, 87

Wild potato, 263

Wound healing, 297, 515

Wound periderm, 297, 300-10

Yeast

Saccharomyces cerevisiae, 471

Yields of tubers, 87, 117, 122, 133, 135, 213, 219, 255, 327-8, 331-2, 367, 369, 372, 395,

398-9, 437, 461, 463, 475, 477, 480, 484, 490

Yield of vines, 395-6